

HIGHLANDER II — VPL400-X

	Quote 🔲 O	rder						
Date:				Acc	count Number:			
Sales	Representative:			Pro	jected Close Date	:		
Deale	er Name:			Pur	chase Order Num	ber:		
Addre	ess:			Shi	p To Address:			
City:		State:	Zip:					
Phon	e:	Fax:		Cor	ntact:			
Email	:			Pho	one:			
Shipp	ing Pick				Opportunity Reference / Project Name:			
Meth	od.							
APPL	ICATION			INS	STALLATION			
X	/PL-R Residentia	ıl			OUTDOOR	INDOOR		
МО	DEL							
				F.v.		inches		
Z) v	/PL400-X 4' Vert	tical Platform Lift <i>(up</i>	to 53" lift height)		ct Lifting Height Indatory)	Note: Meas	ure from Inside Pit from top landing to floor)	
TO	WER CONF	GURATION						
□v	/PL-LH Left hand	U VPL-R	H Right hand		LH	RH	Upper Landing	
							Lower Landing	
PL/	ATFORM CO	ONFIGURATIO	ON (Note: must have foldin	g ramp wi	th 36"x 48"x 36" pl	atform)		
	VPL-3648	36" x 48" x 36" str	aight through platform		VPL-4254	42" x 54" x 42" stra	ight through platform	
	VPL-3654	36" x 54" x 42" str	aight through platform		VPL-4260	42" x 60" x 42" stra	ight through platform	
	VPL-3660	36" x 60" x 42" str	aight through platform					
	VPL-3654-90L	36" x 54" x 42" 90°	left platform		VPL-3654-90R	36" x 54" x 42" 90°	right platform	
	VPL-3660-90L	36" x 60" x 42" 90°	left platform		VPL-3660-90R	36" x 60" x 42" 90°	right platform	
	VPL-4254-90L	42" x 54" x 42" 90°	left platform		VPL-4254-90R	42" x 54" x 42" 90°	right platform	
	VPL-4260-90L	42" x 60" x 42" 90°	left platform		VPL-4260-90R	42" x 60" x 42" 90°	right platform	



HIGHLANDER II - VPL400-X

PL/	ATFORM OI	PTIONS						
	VPL-065-36	36" auto-fold ramp			VPL-060-36F	36" fixed ramp		
	VPL-065-42	42" auto-fold ramp			VPL-060-42F	42" fixed ramp		
	VPL-013-54	54" handı	rail (Not applicable for 36" x 48" x 36")		VPL-013-60	60" handrail (Not applicable for 36" x 48" x 36",		
PL/	ATFORM GA	ATES						
	VPL-004-36L	36" x 42" platform gate with EMI interlock, left (Not applicable for 36" tall side panels)			VPL-004-36R	36" x 42" platform gate with EMI interlock, right (Not applicable for 36" tall side panels)		
	VPL-004-42L		platform gate with EMI interlock, applicable for 36" tall side panels)		VPL-004-42R		m gate with EMI interlock, able for 36" tall side panels)	
DO	ORS							
	qty VPL	-008-WR	Wiring for interlocks provided by	others	Platfor	m Floor Surface	Platform Floor Surface	
	qty VPL	-008L	EMI interlock for left-hand door pr by others	ovided		7	7	
	qty VPL	-008R	EMI interlock for right-hand door p by others	rovided		Left Hand Swing	Right Hand Swing	
LAN	NDING GAT	ES						
	VPL-003-36R 36" x 42" landing gate with EMI interlock, right							
	VPL-003-36L 36" x 42" landing gate with EMI interlock, left							
	VPL-003-42R 42" x 42" landing gate with EMI interlock, right			t				
	VPL-003-42L 42" x 42" landing gate with EMI interlock, left							
	VPL-003-CS Call/send rocker switch for landing gate							
	VPL-003-CSK Call/send rocker switch with key for landing gate							
COI	NTROLS / S	WITCH	IES					
	VPL-012-X Li	ghted e-sto	p with audible alarm (for VPL400-X)					
	VPL-015K Keyed cab control							
	qty VPL	- 016 Call/s	end station control box, top/bottom	(each)				
	qty VPL	- 016K Keye	ed call/send station control box, top/	bottom (each)			
u	qty VPL-CK Chicago key upgrade for keyed controls (each)							
	VPL-KEY Sp	oare key <i>(ed</i>	ach)					



HIGHLANDER II — VPL400-X

FAS	SCIA PANE	ELS AND BRACES							
	VPL-062	Tower brace with bracket							
	VPL-341-24	Fascia panel 41" x 24"							
	VPL-341-53	Fascia panel 41" x 53"							
	VPL-341-CC	Fascia panel 41", custom cut to height length to cut in inches VPL-347-CC Fascia panel 47", custom cut to height length to cut in inches							
SH	SHIPPING OPTIONS								
	VPL400-SS	4' shipping: Upright (VPL400-X only)							
	VPL400-LD	4' shipping: Laid down (VPL400-X only)							
	VPL400-URC	: 4' crated shipping: Upright							
	VPL400-LDC	4' crated shipping: Laid down							
An ap	arge if lift is not on the properties of the pro	APPROVAL ic drawing is requested and production will be scheduled after return of signed approval drawing. ordered within 90-days of drawing submission. PRESENTATION ic drawing is requested and order will be scheduled immediately for production.							



HIGHI ANDER II — VPI 400-X

ACKNOWLEDGMENT OF DEALER/PURCHASER RESPONSIBILITIES

The product you are about to order will be carefully inspected at the factory to assure every component is correct and undamaged. It ships F.O.B. Missouri, meaning it becomes the property of the receiver upon leaving our factory. Therefore it is incumbent on you, the receiver, to carefully inspect the package to assure it has been delivered in good order and is undamaged.

Before signing for the shipment, inspect the package carefully.

VISIBLE DAMAGE: You must note any visible damage on the freight bill. If product damage is obvious, we recommend a further immediate inspection to see what other damage may be concealed, and this also must be written on the freight bill.

CONCEALED DAMAGE: If no damage was immediately evident, but is found later (within 48 hours), stop what you are doing and call the freight company immediately to report concealed damage.

Pictures of the damage are a great support in any freight claim and are strongly recommended. Failure to take these steps may preclude your ability to be reimbursed for any damage in transit.

We have personnel available to assist with this process Monday – Friday, 7:30 am – 5:00 pm EST by calling 800-833-0478.

CODE COMPLIANCE

Harmar Vertical Platform Lifts are designed to meet Safety standard ASME A18.1-2020 when properly equipped. It is the Dealer/Installer's responsibility to ensure compliance with Safety standard ASME A18.1-2020 as well as State and Local code requirements including electrical and building codes which do vary. Some jurisdictions require fees for site preparation and permits. Dealer acknowledges that their order will be installed in accordance with applicable national, state and local governance.

INSTALLATION COMPLIANCE

Harmar Vertical Platform Lifts should only be installed by a Certified Harmar Installer. Harmar provides specific training for its Vertical Platform Lifts at training@harmar.com. If the Vertical Platform Lift is installed by a non-certified, untrained installer, the purchaser and installer assume all responsibility for repair and replacement costs from issues that may arise involving improper installation.

Thank you for your business!

HA	RM	1A	R.
		we lift	lives

I have read and understand the above:						
Print Name:	_					
Signature:	Date:					